

Sr.No.	Application suitable for	Ref / Part No.	Type S=Dry L=Wet	Bore Size
1	ALBION - 4.11 LITRE	SJ30100IN	S	104.183
2	ALBION - 4880 CC.	SJ120900NR	S	107.950
3	ALBION -5.5 LITRE	SJ2302011F	S	114.300
4	ALBION -5.76 LITRE	SJ198800N	S	100.627
5	ALFA ROMEO 154A2.000	21,207,802	S	84.000
6	ALFA ROMEO 8140.21	21,233,502	S	93.000
7	ALFA ROMEO 8140.61	21,230,502	S	93.000
8	ALFA ROMEO 8140.61	21,230,702	S	93.000
9	ALLIS CHALMERS B125	WS 70 / 28743	S	85.725
10	ALLIS CHALMERS D175, D262, D262/DA262	WS 351 / 4061520	S	90.500
11	ASIA TOWNER		S	70.000
12	ASIA KH	11467-1200 / SJ 351249	S	110.000
13	ASIA 13/15/18/23 TON	11467-1091A / SJ 351320 / EF750	S	137.000
14	ASIA F17 E GRANTO15/18T		S	139.000
15	ASIA 26 with collar		S	91.500
16	AUDI 1471 CC	SU 351285	S	76.500
17	AUDI L4TD, 74KW(100PS)	SU 351284	S	76.500
18	AUDI DIESEL		S	79.500
19	AUSTIN 1485 CC	SU4245	S	76.200
20	AUSTIN 1625 CC OHV	SU3270	S	76.187
21	AUSTIN 1695 CC	SU4279	S	84.442
22	AUSTIN 1798 CC	SU351084	S	80.251
23	AUSTIN 1098 CC	SU3367	S	64.567
24	AUSTIN 1200 CC	SU1788	S	65.470
25	AUSTIN 1489 CC	SU2447	S	73.012
26	AUSTIN 1489CCJ4M10	SU498901	S	73.012
27	AUSTIN 1700 CC OHV	SU3588	S	80.251
28	AUSTIN 2178CCTAXICA	SU22181F	S	82.550
29	AUSTIN 2199CC OHV	SU3142	S	79.352
30	AUSTIN 2520CC OHV	SU3969	S	84.938
31	AUSTIN 2520CC OHV	SU84001	S	88.900
32	AUSTIN 3993CC OHV	SU1915	S	87.312
33	AUSTIN 803CC	SU2291	S	57.912
34	AUSTIN 948CC	SU2893	S	62.928
35	AUSTIN 997CC	SU3813	S	62.420
36	AUSTIN A.B.C.MARIN	SU128	S	55.880

# JAI AUTO INDUSTRIES

## AN ISO 9001:2008 COMPANY

Ahmedabad-382415 (INDIA)

Visit us : [www.jailiners.com](http://www.jailiners.com) E-mail : [jaiauto1@yahoo.com](mailto:jaiauto1@yahoo.com)

MOBILE NO : +91 9904304061



Sr.No.	Application suitable for	Ref / Part No.	Type S=Dry L=Wet	Bore Size
37	AUSTIN MARK V USA	SU3598	S	70.612
38	AUSTIN MINI COOPER'S	SU3597	S	70.610
39	AUTO BIANCHI 1049 CC	21,207,702	S	76.000
40	AUTO BIANCHI 903 CC	21,205,402	S	65.000
41	AUTO BIANCHI 965 CC	1,200,702	S	67.200
42	B.M.C. 1489CC-1 2LI.	SU498901	S	73.012
43	B.M.C. 2520 CC	SU584001	S	88.900
44	B.M.C. 3770CC 3.8LI.	SJ553504WS	S	100.000
45	B.M.C. 8.36 L.V8.510	SJ351024ZS	S	107.950
46	B.M.C. EA SERIES	SU3969	S	84.938
47	B.M.W 2 LITRE.	N6	S	66.000
48	B.M.W M69,R-4	N3	S	78.000
49	BEDFORD 1598 CC	SU351283	S	80.000
50	BEDFORD 1760 CC	SU553201	S	79.375
51	BEDFORD 1951 CC	SU351244	S	86.000
52	BEDFORD 4927 CC	SJ241600	S	98.400
53	BEDFORD 8200 CC	SU351162	S	115.888
54	BEDFORD 1057 CC HA	SU3587	S	74.295
55	BEDFORD 1159 CC VAN	SU3831	S	77.749
56	BEDFORD 1507 CC CA	SU2123	S	79.378
57	BEDFORD 1594 CC VAN	SU3744	S	81.635
58	BEDFORD 330 CC VAN	SU-497303	S	103.175
59	BEDFORD 3519 CC ( SU2083 )	SU2083	S	85.725
60	BEDFORD 3519 CC ( SU3819F )	SU3819F	S	85.725
61	BEDFORD 3614 CC	SU497301F	S	103.175
62	BEDFORD [VAUXHALL] KT4062FU	KT4062FU	S	103.175
63	BEDFORD [VAUXHALL] KT4062VU	KT4062VU	S	103.175
64	BEDFORD 381 ENGINE	SU515101	S	104.775
65	BEDFORD 4.92 LITRE.	SJ241600NR	S	98.400
66	BEDFORD 466 ENGINE	SU554501	S	115.888
67	BEDFORD 500 PHASE-11	N7	S	115.888
68	BEDFORD J/6	CL4062	S	103.175
69	BEDFORD W/C	SU497303	S	103.175
70	CATERPILLAR 3406/3408/3412	2W6000/7W3550/1W6280	L	137.160
71	CATERPILLAR D3116	7C6208	S	105.000
72	CATERPILLAR 3204	7W2293	S	114.300
73	CATERPILLAR 3204	9N6275	S	114.300

# JAI AUTO INDUSTRIES

## AN ISO 9001:2008 COMPANY

### Ahmedabad-382415 (INDIA)

Visit us : [www.jailiners.com](http://www.jailiners.com) E-mail : [jiauto1@yahoo.com](mailto:jiauto1@yahoo.com)  
MOBILE NO : +91 9904304061



Sr.No.	Application suitable for	Ref / Part No.	Type S=Dry L= Wet	Bore Size
74	CUMMINS NH,NV,NT,DIE	SJ900129WR	L	130.162
75	CUMMINS N14 B (3BT/4BT/6BT)	3,904,166	S	102.020
76	CUMMINS (Phosphated) V8-210/V6-155	3022530/3277592	L	117.475
77	CUMMINS (Phosphated) 6CT A8.3 ( 3919937 )	3919937 / 3948095	L	114.000
78	CUMMINS LT 10 ES	3,803,703	L	125.000
79	CUMMINS (Phosphated) NT855/514		L	139.700
80	DAF 8250 CC	SJ351103	S	118.000
81	DAF DD 575 DIESEL	SJ531601IN	S	100.627
82	DAF DF 615,6.17 LITRE	SJ351028N	S	104.176
83	DAF DK1160 DIESEL	SJ351020	S	130.000
84	DAIHATSU 1587 CC	SU 4264	S	80.500
85	DAIHATSU 2530 CC	SJ351324	S	88.000
86	DAIHATSU 2765 CC	SJ351321	S	92.000
87	DAIHATSU 2977 CC	SU 351323	S	95.000
88	DAIHATSU 3431 CC	SU 351238	S	102.000
89	DAIHATSU CL10	SEMI SIZE	S	74.750
90	DAIHATSU DG.D300	12752-BE	S	87.600
91	DAIHATSU DG,DV321	12752-AC	S	88.000
92	DAIHATSU DL	15486-AA	S	91.600
93	DAIHATSU DV22,DV202	12560-AB	S	85.000
94	DAIHATSU-DH CL10	N 26	S	74.750
95	DAIMLER 2404 CC	SU 351119	S	91.000
96	DAIMLER BENZ 11600 CC	SU 351094	S	128.000
97	DAIMLER BENZ 1988 CC	SU 351122	S	87.000
98	DAIMLER BENZ 2197 CC	SU351123	S	87.000
99	DAIMLER BENZ 2900 CC	SU 351337	S	89.000
100	DAIMLER BENZ 3782 CC	SU 607501	S	97.000
101	DAIMLER BENZ 5100 CC	SU 463801	S	95.000
102	DAIMLER BENZ 5673 CC	SU 351281	S	97.000
103	DAIMLER-4235 CC OHC	SU 3981	S	92.075
104	DAMAS short		S	67.750
105	DAMAS short		S	68.000
106	DAMAS long		S	68.000
107	DATSUN-BLUEBIRD 1200	SU 3996	S	73.000
108	DAVID BROWN 2395 CC	SU 351121	S	100.046
109	FIAT		S	95.000
110	FIAT		L	110.000

# JAI AUTO INDUSTRIES

## AN ISO 9001:2008 COMPANY

### Ahmedabad-382415 (INDIA)

Visit us : [www.jailiners.com](http://www.jailiners.com) E-mail : [jaiauto1@yahoo.com](mailto:jaiauto1@yahoo.com)  
MOBILE NO : +91 9904304061



Sr.No.	Application suitable for	Ref / Part No.	Type S=Dry L= Wet	Bore Size
111	FIAT 1048 CC	21,207,702	S	76.000
112	FIAT 1116 CC	21,204,802	S	80.000
113	FIAT 1301 CC	2,131,502	S	76.050
114	FIAT 1585 CC	21,206,102	S	84.000
115	FIAT 1592 CC	2,120,402	S	80.000
116	FIAT 1697 CC	2,123,302	S	82.600
117	FIAT 1895 CC	21,219,002	S	85.000
118	FIAT 1995 CC	21,207,802	S	84.000
119	FIAT 2445 CC	21,233,502	S	93.000
120	FIAT 2499 CC	2,123,502	S	93.000
121	FIAT 2500 CC	CH 2403100	S	93.000
122	FIAT 40 NC	SEMI SIZE	S	98.880
123	FIAT 704 CC	21,224,202	S	80.000
124	FIAT 843 CC	21,205,402	S	65.000
125	FIAT ALLIS 13789 CC	21,215,902	S	137.000
126	FIAT ALLIS 2338 CC / FIAT FT02-101	21214802 / 4599351	S	95.000
127	FIAT FT02-105	4,770,654	S	100.000
128	FIAT ALLIS 2592 CC / FT02-102	21215702 / 4653280	S	100.000
129	FIAT ALLIS 8102 CC (Phosphated)	21,212,102	L	115.000
130	FIAT ALLIS 9819 CC / Tractor 55, 60 R 122 mm	21,216,002	S	122.000
131	FIAT Tractor 780 125 mm		S	125.000
132	FIAT ALLIS 10676 CC	21,212,902	S	125.000
133	FIAT IVECO 11549 CC	21,213,302	S	130.000
134	FIAT IVECO 2445 CC	21,230,702	S	93.000
135	FIAT IVECO 2693 CC	21,211,202	S	95.000
136	FIAT IVECO (TRACTOR) 3666 CC( 21217502 )	21,217,502	S	103.000
137	FIAT IVECO (TRACTOR) 3666 CC( 21232202 )	21,232,202	S	103.000
138	FIAT IVECO (TRACTOR) 3908 CC( 21233902 ) / FT	21233902 / 4770623	S	104.000
139	FIAT IVECO (TRACTOR) 3908 CC( 21232402 )	21,232,402	S	104.000
140	FIAT IVECO 5499 CC	2,123,302	S	103.000
141	FIAT IVECO 9161 CC	21,215,251	S	120.000
142	FIAT POLSKI 127A	21,205,402	S	65.000
143	FIAT POLSKI 132A	21,206,102	S	84.000
144	FIAT POLSKI V6	SU 3706	S	93.647
145	FIAT TRACTOR 1140 CC	21,210,702	S	85.000
146	FIAT 1089CC-1100R	ISU320004	S	68.000

# JAI AUTO INDUSTRIES

## AN ISO 9001:2008 COMPANY

### Ahmedabad-382415 (INDIA)

Visit us : [www.jailiners.com](http://www.jailiners.com) E-mail : [jaiauto1@yahoo.com](mailto:jaiauto1@yahoo.com)  
MOBILE NO : +91 9904304061



Sr.No.	Application suitable for	Ref / Part No.	Type S=Dry L= Wet	Bore Size
147	FIAT 633 CC	ISU320005	S	60.000
148	FIAT 643N,643N1,409B	ISU324008	S	120.000
149	FIAT 690N3,BUS306/3	ISU324305	S	130.000
150	FIAT 767CC-600D	ISU320013Z	S	62.000
151	FIAT TRACTOR 614.01 / 615 D	21,210,702	S	85.900
152	FIAT TRACTOR 8035.06,8045.06,8065.06	21,234,002	S	100.000
153	FIAT TRACTOR 220/8200.1	21,212,102	S	120.000
154	FORD (BRITISH) 105E	SU3166	S	80.950
155	FORD (BRITISH) 106E	SU 3821	S	80.950
156	FORD (BRITISH) 1593 CC	SU4260	S	87.670
157	FORD (BRITISH) 1760 CC	SU553201	S	79.325
158	FORD (BRITISH) 1933 CC	SU 4255	S	90.820
159	FORD (BRITISH) 2401E	SU 351076	S	93.645
160	FORD (BRITISH) 2704ET	SU351051	S	104.775
161	FORD (BRITISH) 2708E	SU594501	S	100.000
162	FORD (BRITISH) 2711E	SU35105	S	107.213
163	FORD (BRITISH ) 957 CC	SU 4262	S	73.940
164	FORD (BRITISH ) AV8,510	SJ351207	S	107.950
165	FORD (BRITISH ) XD2	SU 2315100	S	94.000
166	FORD DOVER 150	KT4125FFXHGA	S	104.775
167	FORD TRACTOR 2360 CC	SU28301	S	88.925
168	FORD TRACTOR 2500 CC	KT 3600FP	S	91.491
169	FORD TRACTOR 2715 E	SU 351175	S	107.213
170	FORD TRACTOR 320 / FD02-101	SU 522801 / C5NN6055A	S	106.698
171	FORD TRACTOR BSD 332 / FD02-102	SU 351030 / FD02-102	S	111.778
172	FORD 1499CC,CLASSIC	SU 3373	S	80.950
173	FORD 1558 CC	SU4027F	S	82.550
174	FORD 1703CC	SU2823	S	82.550
175	FORD 2360 CC DEXTA,TRA	SU628301	S	88.925
176	FORD 2500 CC,TRACTOR	SU628201	S	91.491
177	FORD 2599 CC 711M ENG.	SU 4017	S	80.985
178	FORD 2737E ENGINE	SU4026F	S	80.985
179	FORD 3610,4000,TRACT	SU 351030F	S	111.760
180	FORD AMERICAN,JEEP	SU 1709	S	79.375
181	FORD AMERICAN-3655 CC	SU2672	S	92.075
182	FORD DT1700 DIESEL	SJ351024ZS	S	107.950
183	FORD GERMAN-12M	SU2660F	S	82.000

# JAI AUTO INDUSTRIES

## AN ISO 9001:2008 COMPANY

### Ahmedabad-382415 (INDIA)

Visit us : [www.jailiners.com](http://www.jailiners.com) E-mail : [jaiauto1@yahoo.com](mailto:jaiauto1@yahoo.com)  
MOBILE NO : +91 9904304061



Sr.No.	Application suitable for	Ref / Part No.	Type S=Dry L= Wet	Bore Size
184	FORD GERMAN-1698 CC	SU 3586	S	84.000
185	FORD GERMAN-EK1000	SU 2547	S	63.500
186	FORD GT-122E,ENGINE	80.950	S	84.950
187	FORD IND.ENGINE	SU 3706	S	93.647
188	FORD SUPER DEXTA3000	SU 5222801	S	106.680
189	FORD THAMES ( SU 3166 )	SU 3166	S	80.950
190	FORD THAMES ( SU 3821F )	SU 3821F	S	80.950
191	FORD ZEPHIR,ZODIC	SU 2063	S	79.375
192	FORDSON MAJOR ( SJ 196802W )	SJ 196802W	L	100.000
193	FORDSON MAJOR ( SJ 491601WS )	SJ 491601WS	L	100.000
194	HILLMAN-1265 CC HUSKE	SU 1946	S	65.088
195	HILLMAN-1390 CC	SU 2501	S	76.200
196	HILLMAN-1494 CC	SU 2848	S	78.999
197	HILLMAN-1496 CC HUNTER	SU 3756	S	81.539
198	HILLMAN-875 CC	SU 3834ZF	S	67.986
199	HINO 3B 3431 CC	SU 351238	S	102.000
200	HINO B 2977 CC	SU 351232	S	95.000
201	HINO DH100	16048-BE	S	105.000
202	HINO EF700,750	16094-GB	L	137.000
203	HINO EH300 (Phosphated)	16071-CF	S	108.000
204	HINO EH500 (Phosphated)	16163-WB	S	110.000
205	HINO EH100	SJ 351236	S	105.000
206	HINO EK100	16195-GA	L	137.000
207	HINO EM 100 (16125-CE)	16125-CE	S	124.000
208	HINO EM 100 (SJ 351311)	SJ 351311	S	124.000
209	HINO EM 100 (SJ 351249) (Phosphated)	SJ 351249	S	110.000
210	HINO EP100	16183-EG	S	120.000
211	HINO HO6BT	16163ANE	S	105.800
212	HINO M10U	16218-UC	S	127.000
213	HINO W04D 4009 CC	SJ 351301	S	104.000
214	HINO W04D,W06D	16188-BE	S	104.000
215	HYUNDAI 4D31-T	SU 351258	S	100.000
216	HYUNDAI 4D55	SU 351279	S	91.100
217	HYUNDAI 6D16	SU 351316	S	118.000
218	HYUNDAI (3.5 Ton)	3.5 TON	S	99.000
219	HYUNDAI (2.5 Ton)	2.5 TON	S	103.000
220	HYUNDAI		S	91.100



# JAI AUTO INDUSTRIES

## AN ISO 9001:2008 COMPANY

### Ahmedabad-382415 (INDIA)

Visit us : [www.jailiners.com](http://www.jailiners.com) E-mail : [jaiauto1@yahoo.com](mailto:jaiauto1@yahoo.com)  
MOBILE NO : +91 9904304061



Sr.No.	Application suitable for	Ref / Part No.	Type S=Dry L= Wet	Bore Size
221	HYUNDAI (With Collar)	W/Collar	S	91.100
222	HYUNDAI (Over Size)	Over Size	S	91.100
223	HYUNDAI (3500)	3,500	S	100.000
224	HYUNDAI (3500)	3,500	S	104.000
225	HYUNDAI		S	104.000
226	ISUZU 4 BBI	KM 102JF / 5-11261-004-0	S	102.000
227	ISUZU 4 JA1 (Chrome Hardened)	KM 93JF	S	93.000
228	ISUZU 4 JB1 (Chrome Hardened)	KM 93JFL / 8-94247-861-0	S	93.000
229	ISUZU C 223	SU 351275	S	88.000
230	ISUZU C 290	SU 351244 / 9-11261-224-1	S	86.000
231	ISUZU 4FBI	SEMI SIZE3	S	82.900
232	ISUZU C190/C240		S	86.000
233	ISUZU 4HF1	8-97176-727-0 / 1-8-94389-276-3	S	112.000
234	ISUZU 6BD1 (Chrome Hardened)		S	102.000
235	ISUZU 6BG1 (Chrome Hardened)	111261-1190 / 5-11261-016-2	S	105.000
236	ISUZU C190/C240	9-11261-224-0	S	86.000
237	ISUZU 4FB1/4FC1	5-12261-119	S	84.000
238	JAGUAR-3781CC MARK-IX	SU 3007	S	86.990
239	JAGUAR-4235 CC	SU 3981	S	92.075
240	JEEP 2710 CC	SJ 361176	S	92.000
241	JOHN DEERE 1520, JD410, 2030, 6600	T 32343/ R48168 / WS 485	L	102.000
242	JOHN DEERE 3179D, 2040, 2140, 2150, 3179T, 4239D, 2350, 2355, 4239T, 310C, 6359D/T	R 80724 / R 51726 / R 116281 / WS 587	L	106.500
243	JOHN DEERE 4276D,4276T,6414D,6414T	R54505 / WS 529	L	106.532
244	JOHN DEERE 3152D / 4202D / 6303D	AR 51902 / R 48635	L	98.000
245	KIA BESTA 2.7	OVN01.10.311	S	93.013
246	KIA BESTA R2		S	86.000
247	KIA S2		S	88.900
248	KIA BONGO 2.4	OK756.10.311	S	91.400
249	KIA PREGIO 2.7	OK65A.10.311	S	94.500
250	KIA PREGIO 3	OK75A.10.311B	S	98.013
251	KIA TRADE 3.5	OK410.10.311B	S	100.000
252	KIA HI TOPIC	OK800.10.311	S	91.400

# JAI AUTO INDUSTRIES

## AN ISO 9001:2008 COMPANY

### Ahmedabad-382415 (INDIA)

Visit us : [www.jailiners.com](http://www.jailiners.com) E-mail : [jaiauto1@yahoo.com](mailto:jaiauto1@yahoo.com)  
MOBILE NO : +91 9904304061



Sr.No.	Application suitable for	Ref / Part No.	Type S=Dry L= Wet	Bore Size
253	KIA CERES	1456.10.311A	S	88.100
254	KIA BESTA 2.7	OVN01.10.311	S	93.013
255	KIA PREGIO 3	OK75A.10.311B	S	98.013
256	KIA 2700		S	94.550
257	KIA 2200		S	86.000
258	KIA 2400		S	92.000
259	KIA 3000		S	98.000
260	KIA 3600		S	100.000
261	KOMATSU 828 AC.3	21,207,702.000	S	76.000
262	KOMATSU 6D 95	SJ 351302 / 6207212110-14023830	S	95.000
263	KOMATSU D30E-16B/D50A-15C	366 011 0610 / SU 351281/352	S	97.000
264	LAND ROVER 3.9 LEFI	SU 4286	S	94.000
265	LAND ROVER 3528 CC	SU 4244	S	88.862
266	LAND ROVER 2286CC1&11	SU 494402	S	90.475
267	LAND ROVER 1997CC,2L	SU 2300	S	77.800
268	LAND ROVER 1595CC1.5L	SU 2109	S	69.500
269	LEYLAND 0400PP.MK 1/2.	SJ351081	S	107.226
270	LEYLAND 1695 CC	SU 4279	S	84.442
271	LEYLAND 2498 CC	CH 2319100	S	94.000
272	LEYLAND 5800 CC	SJ 584201	S	98.476
273	LAYLAND 680PP.MK1/2/3	SJ 221502	S	127.015
274	LEYLAND 8200 CC	SJ 351153	S	118.001
275	LEYLAND EA SERIES25U	SU 3969	S	84.938
276	LEYLAND L 12	SV 351138	S	135.538
277	LEYLAND V8.510	SJ 351207	S	107.950
278	LEYLAND 154 TRACTOR	SU 498901	S	73.012
279	LEYLAND 1670CC PETROL	SU 3270	S	76.187
280	LEYLAND 350 FG	SJ 221802F	S	82.550
281	LEYLAND 350 MARK-II	SJ 198800N	S	100.627
282	LEYLAND 370POWER PLUS	SJ 518601NS	S	103.350
283	LEYLAND 375 SUPER	SJ 301001N	S	104.183
284	LEYLAND 400,401	SJ 498402S	S	107.211
285	LEYLAND 450,7.931L.	SU 351023	S	111.125
286	LEYLAND 600,9.8L	SJ 052200N	S	121.935
287	LEYLAND 680,11.1L	HJ 221501N	S	127.015
288	LEYLAND 698	1318WL	L	98.000



# JAI AUTO INDUSTRIES

## AN ISO 9001:2008 COMPANY

### Ahmedabad-382415 (INDIA)

Visit us : [www.jailiners.com](http://www.jailiners.com) E-mail : [jaiauto1@yahoo.com](mailto:jaiauto1@yahoo.com)  
MOBILE NO : +91 9904304061



Sr.No.	Application suitable for	Ref / Part No.	Type S=Dry L= Wet	Bore Size
289	LEYLAND 8.36L.	SJ 351024ZS	S	107.950
290	LEYLAND 0E138	SJ 235800NS	S	84.176
291	LEYLAND 0E160	SJ 483202NS	S	87.732
292	MACK TRUCK END-673	DS 240X	S	123.825
293	MAN ( 227 WN 32 )	227 WN 32	L	125.000
294	MAN ( 227 WN 34 )	227 WN 34	L	128.000
295	MASSEY-MF-135 DIESEL	SU 350201F	S	91.491
296	MASSEY FERGUSON A4.2	SJ 351150	S	98.476
297	MASSEY FERGUSON,MF13	SJ 5456900N	S	91.491
298	MASSEY FERGUSON MF-1080	SU 351025S	S	114.313
299	MASSEY FERGUSON MF 175	SU 569200S	S	98.476
300	MASSEY FERGUSON 6.60	SJ 351306	S	100.000
301	MASSEY FERGUSONA4.2	SJ 351166	S	101.054
302	MASSEY FERGUSON A4.3	SJ 351192	S	114.313
303	MAZDA R2	SU 351297	S	86.000
304	MAZDA S2	SJ 351253	S	88.900
305	MAZDA XA	SJ 351265	S	88.900
306	MAZDA HA E-3500 (Phosphated)	N39	S	100.000
307	MAZDA HA NEW-E 3000	N40	S	95.000
308	MAZDA HA0E 3000	N41	S	92.000
309	MAZDA NA	15359-DA	S	95.000
310	MAZDA PB	15289-AA	S	68.000
311	MAZDA VA	15290-AA	S	82.000
312	MAZDA XB-E 2700	N42	S	92.000
313	MAZDA XB/ZB		S	92.000
314	MAZDA SL		S	100.000
315	MAZDA WL		S	93.000
316	MAZDA 2500		S	88.900
317	MAZDA 2700		S	92.000
318	MAZDA 3000		S	95.000
319	MAZDA T-3500		S	100.000
320	MERCEDES OM-637	SU 453802	S	75.000
321	MERCEDES 1692 CC	SU 578403F	S	87.000
322	MERCEDES OM312	SU 477301F	S	90.000
323	MERCEDES OM315	SU 433901F	S	112.000
324	MERCEDES OM321	SU 463801F	S	95.000
325	MERCEDES OM346	SU 518901F	S	128.000

# JAI AUTO INDUSTRIES

## AN ISO 9001:2008 COMPANY

### Ahmedabad-382415 (INDIA)

Visit us : [www.jailiners.com](http://www.jailiners.com) E-mail : [jaiauto1@yahoo.com](mailto:jaiauto1@yahoo.com)  
MOBILE NO : +91 9904304061



Sr.No.	Application suitable for	Ref / Part No.	Type S=Dry L= Wet	Bore Size
326	MERCEDES OM352 (OD 103.099)	SU 607501F / 004 WV 13	S	97.000
327	MERCEDES OM352 (OD 101.000)		S	97.000
328	MERCEDES OM352 (OD 101.500)		S	97.000
329	MERCEDES OM352 (OD 101.150)		S	97.000
330	MERCEDES OM352 (OD 101.650)		S	97.000
331	MERCEDES OM355A	003 WV 09	S	128.000
332	MERCEDES OM421/422 (Phosphated)	422 011 0310 / 423 011 0210 / SJ 351230 / Goetze # 14- 451160-00 / 003 WN 15	L	128.000
333	MERCEDES (Phosphated)		L	125.000
334	MERCEDES OM602	601 011 0210/601 011 0110	S	88.000
335	MERCEDES OM615/913/915/615/910	615 011 1010	S	88.000
336	MERCEDES OM616/617	616 011 0710/616 011 0610/616 011	S	92.000
337	MERCEDES OM621	SU 480601F / 001 WV 07	S	85.000
338	MERCEDES M110		S	85.000
339	MERCEDES M115		S	87.000
340	MERCEDES M102		S	89.000
341	MERCEDES 314	004 WV 08	S	97.000
342	MERCURY-3655 CC	SU 2672	S	92.075
343	MITSUBISHI 4D30 (15433-BA)	15433-BA	S	99.000
344	MITSUBISHI 4D30	N44 / N46 /	S	100.000
345	MITSUBISHI 4D31		S	100.000
346	MITSUBISHI 4D32	1-ME003366-S/F-GAR	S	104.000
347	MITSUBISHI 4D33	1-ME013312-S/F-GAR	S	108.000
348	MITSUBISHI 4D34	1-ME997236-F/F-GAR	S	104.000
349	MITSUBISHI 4D55	N43 / N45	S	91.000
350	MITSUBISHI 4D56	4D56	S	90.500
351	MITSUBISHI 4D56		S	91.100
352	MITSUBISHI 4D65/65T		S	80.600
353	MITSUBISHI JH 4	SU 1703	S	79.400
354	NISSAN BD30		S	96.000
355	NISSAN CD17		S	80.000
356	NISSAN E15		S	76.000
357	NISSAN J15		S	78.000
358	NISSAN LD20	1-11012-W1700-GAR	S	85.000

# JAI AUTO INDUSTRIES

## AN ISO 9001:2008 COMPANY

### Ahmedabad-382415 (INDIA)

Visit us : [www.jailiners.com](http://www.jailiners.com) E-mail : [jaiauto1@yahoo.com](mailto:jaiauto1@yahoo.com)  
MOBILE NO : +91 9904304061



Sr.No.	Application suitable for	Ref / Part No.	Type S=Dry L= Wet	Bore Size
359	NISSAN NSCD17	N47	S	79.700
360	NISSAN ND6	SJ 351143	S	110.000
361	NISSAN PD6 ( N49 )	N49	S	125.000
362	NISSAN PD6 ( SJ 351149 )	SJ 351149	S	125.000
363	NISSAN RD 6	SJ 351237	S	133.000
364	NISSAN RD 28	1-11012-22J64-GAR	S	85.000
365	NISSAN SD 20	SJ 351117	S	83.000
366	NISSAN SD 22	N50	S	83.000
367	NISSAN SD 23	SJ 351289	S	89.000
368	NISSAN SD 33	N48	S	83.000
369	NISSAN TD 23	1-11012-02N00-GAR	S	89.000
370	NISSAN TD 25	SJ 351282	S	92.900
371	NISSAN TD 27/TD 42	RSL 60715	S	96.000
372	NISSAN A12S		S	73.000
373	NISSAN A14		S	75.220
374	NISSAN A10/A12/A13		S	73.025
375	NISSAN FE6T		S	108.000
376	NISSAN H20		S	87.300
377	NISSAN L18		S	85.000
378	NISSAN L20B		S	85.000
379	NISSAN Z20		S	85.000
380	NISSAN Z24		S	88.900
381	NISSAN QD32	11012-2S605-S/FT	S	99.200
382	PERKINS-4.248 DIESEL	SU 351026	S	101.054
383	PERKINS 2500 CC	SJ 546900	S	91.491
384	PERKINS 2523 CC	SU 351027	S	88.925
385	PERKINS 4065 CC	SJ 351166	S	101.054
386	PERKINS 5800 CC	SJ 584201	S	98.476
387	PERKINS A4.212	SJ 351150	S	98.476
388	PERKINS P3	SJ 8902	S	88.925
389	PERKINS MF02-116A	3135 X 041	S	100.000
390	PERKINS MF02-106A / T4.40	SJ 351306 / 3135 X 042	S	100.000
391	PERKINS V8.510	SJ 351207	S	107.950
392	PERKINS 1.76 L.	SU 553201	S	79.375
393	PERKINS 5560 CC	SU 2142000F	S	101.600
394	PERKINS 8 8.36 LIT.	SJ 351024ZS	S	107.950
395	PERKINS P4, P6.	SU 008900F	S	88.925

# JAI AUTO INDUSTRIES

## AN ISO 9001:2008 COMPANY

### Ahmedabad-382415 (INDIA)

Visit us : [www.jailiners.com](http://www.jailiners.com) E-mail : [jaiauto1@yahoo.com](mailto:jaiauto1@yahoo.com)  
MOBILE NO : +91 9904304061



Sr.No.	Application suitable for	Ref / Part No.	Type S=Dry L= Wet	Bore Size
396	PERKINS ( 31358323 )	31,358,323	S	91.491
397	PERKINS MF02-101 ( 31358345 )	31,358,345	S	91.491
398	PERKINS ( 31358394 )	31,358,394	S	98.476
399	PERKINS MF02-113 ( 3135X031 )	3135X031	S	98.476
400	PERKINS MF02-104 ( 3135X032 )	3135X032	S	98.470
401	PERKINS ( SU 628201)	SU 628201	S	91.491
402	PERKINS MF02-110 ( SU 530201 )	SU 530201 31358323	S	91.491
403	PERKINS ( SJ 546900 )	SJ 546900	S	91.491
404	PERKINS W/Collar		S	91.491
405	PERKINS ( SU 553201 )	SU 553201	S	79.370
406	PERKINS ( SU 351027 )	SU 351027	S	88.920
407	PERKINS ( SU 351104 )	SU 351104	S	92.000
408	PERKINS MF02-111 ( SU 8900 )	SU 8900 / 530002	S	88.920
409	PERKINS MF02-104 ( SJ 351342 )	SJ 351342 / 3135 X 032	S	98.470
410	PERKINS ( SU 538101 )	SU 538101	S	98.476
411	PERKINS W/Collar		S	98.476
412	PERKINS ( SU 351026 )	SU 351026	S	101.054
413	PERKINS MF02-115 W/Collar	31,358,346	S	101.054
414	PERKINS MF02-105 ( SJ 351166 )	SJ 351166 / 31358352	S	101.054
415	PERKINS MF02-106 ( SJ 351347 )	SJ 351347 / 3135 X 034	S	101.054
416	PERKINS ( SU 351193 )	SU 351193	S	114.310
417	PERKINS ( SU 351192 )	SU 351192	S	114.310
418	PERKINS ( SU 351178 )	SU 351178	S	98.476
419	PERKINS MF02-112 ( SU 569200 )	SU 569200 / 31358393	S	98.476
420	PERKINS MF02-103 ( SJ 351150 )	SJ 351150 / 31358394	S	98.476
421	PERKINS ( SJ 351207 )	SJ 351207	S	107.950
422	PERKINS W/Collar		S	91.491
423	RUMANIYA-UTB 650	N57	L	108.000
424	RUMANIYA-UTB 800		L	110.000
425	SCANIA D11/DS11 (235828)	235828 / 061 WN 19	L	127.000
426	SCANIA DS14 (230151 / 170690)	230151 / 170690 / 061 WN 12	L	127.000
427	SCANIA 124		L	127.000
428	TOYOTA (CL916)	CL916	S	75.000
429	TOYOTA 5R		S	88.000
430	TOYOTA 12R	SU 4264	S	80.500
431	TOTOTA 2B W/Collar	SU 351239	S	98.000

# JAI AUTO INDUSTRIES

## AN ISO 9001:2008 COMPANY

### Ahmedabad-382415 (INDIA)

Visit us : [www.jailiners.com](http://www.jailiners.com) E-mail : [jaiauto1@yahoo.com](mailto:jaiauto1@yahoo.com)  
MOBILE NO : +91 9904304061



Sr.No.	Application suitable for	Ref / Part No.	Type S=Dry L= Wet	Bore Size
432	TOYOTA-2B	15468-AA	S	98.000
433	TOYOTA 2D W/Collar	SU 351144	S	105.000
434	TOYOTA-2D	12248-AB	S	105.000
435	TOYOTA 2H	SU 351264	S	91.000
436	TOYOTA 2J	SU 351242	S	88.000
437	TOYOTA 2L	SU 351305	S	92.000
438	TOYOTA 3B ( SU 351228 )	SU 351228	S	102.000
439	TOYOTA 3B ( N66 )	N66	S	102.000
440	TOYOTA B (SU 351232) OD/102.070	SU 351232	S	95.000
441	TOYOTA B (11461.56030) OD/99.000	11,461.56030	S	95.000
442	TOYOTA L (SU 351227)	SU 351227	S	90.000
443	TOYOTA L (15455-AA)	15455-AA	S	90.000
444	TOYOTA L	15287-FA	S	89.600
445	TOYOTA 1C		S	83.000
446	TOYOTA B	15456-AB	S	94.600
447	TOYOTA CORONA-3R	SU 3997	S	88.000
448	TOYOTA 1HZ	1-11461-17011-GAR	S	94.000
449	TOYOTA 3L	1-11461-5412-GAR	S	96.000
450	TOYOTA BU60		S	95.000
451	TOYOTA 4A		S	81.000
452	TOYOTA 1Y		S	86.000
453	TOYOTA 1KZ		S	96.000
454	TOYOTA 3B		S	102.000
455	TOYOTA 2C	11461-64060-FF	S	86.000
456	TOYOTA 3F		S	93.650
457	TOYOTA H	1-11461-48011-GAR	S	88.000
458	TOYOTA 3K	1-11462-24010-GAR	S	75.000
459	TOYOTA 4K		S	75.000
460	TOYOTA 13B	SJ 351364	S	102.000
461	TOYOTA 14B	1-11461-58041-GAR	S	102.000
462	TOYOTA 3B+14B	11,461.58020	S	102.000
463	TOYOTA 22R	1-11461-35010-GAR	S	92.000
464	TOYOTA 2E	1-11461-11040-GAR	S	73.000
465	TOYOTA 2T	1-11461-25010-GAR	S	85.000
466	TOYOTA 3T		S	85.000
467	TOYOTA I	1-11461-54010-GAR	S	90.000
468	TOYOTA BU30	1-11461-56021-GAR	S	95.000

# JAI AUTO INDUSTRIES

## AN ISO 9001:2008 COMPANY

### Ahmedabad-382415 (INDIA)

Visit us : [www.jailiners.com](http://www.jailiners.com) E-mail : [jaiauto1@yahoo.com](mailto:jaiauto1@yahoo.com)  
MOBILE NO : +91 9904304061



Sr.No.	Application suitable for	Ref / Part No.	Type S=Dry L=Wet	Bore Size
469	TOYOTA 1W	1-11461-78010-GAR	S	104.000
470	TOYOTA 3Y	1-11461-73010-T	S	86.000
471	TOYOTA 11B	11461-56060-GAR	S	95.000
472	TOYOTA 21R	1-11461-37010-GAR	S	84.000
473	TOYOTA 4Y		S	90.100
474	TOYOTA 5L		S	90.100
475	VOLVO THD 100D	SJ 351088 / 037 WN 18	L	120.640
476	VOLVO TD121	SJ351295 / 037 WN 25	L	130.180
477	VOLVO D12A	D 12 A / 037 WN 35	L	131.000
478	ZETOR 2011	SJ 611101WS	L	95.000
479	ZETOR 5911	1354WL	L	100.000
480	ZETOR HMT 4511 / G 453	KS 89058110	L	102.000
481	ZETOR SUPER-50	SJ 561901WS	L	105.000
482	ZETOR 110	2086WL	L	110.000